SECTION 13. BUILDING CHARACTER BASED SERVER

The Character Based Server allows remote sites to run the character versions of AdHoc Query and S&M. This provides very basic capabilities to remote users using low speed lines.

Table 13-1 list Character Based application segments that should be loaded on a Character Based Application server. These segments should be loaded on JOPES Application server as describe in Section 8. The segments are listed in alphabetic, they may be installed in any order.

Prior to using the Character Based applications the Character Based Interface must be loaded on the Executive Manager server and character accounts must be created.

Table 13-1. GCCS JOPES Character Based Application and Remote Connectivity Segement

Segement				
Application	Version	Size	Tape	Comments
	JOPES Characte	r Based	Applicati	ons
* AdHoc Query Character	5.6.0.2.01		2.2 (AP.2)	
Character Based Interface	1.0.0.1.01	172	2.2 (AP.2)	
Chrctr Based DB Select	1.0	13	2.2 (AP.2)	Requires ORACLE App Tool
MAILX for CBIF	5.0	22	2.2 (AP.2)	PROVIDES E-MAIL FOR ASCII DESKTOP
* S&M Character	5.6.0.0		2.2 (AP.2)	
TxtDsktop IRC Client	1.1.01	316	2.2 (AP.2)	Use with CBIF
Remote Connectivity Segments				
Remote Printing	1.0	38	2.2 (AP.2)	Use with CBIF

^{*} Segment is new and should be loaded if upgrading from 2.1 to 2.2.